



Company: Donaghys Industries Ltd  
 Address: 2 Nazareth Ave, PO Box 20 449, Christchurch  
 Telephone Number: 0800 942 006  
 Email: enquiries@donaghys.com  
 Emergency Telephone Number (24/7): National Poisons Centre 0800 POISON (764 766)

**Hazards Identification**

Hazardous Nature: Hazardous according to ERMA NZ and NOHSC Australia (flammability, pressurized container).  
 UN Number: UN 1950  
 Other Names: Proper shipping name is AEROSOLS  
 Dangerous Good Class: 2.1 (Flammable gases)  
 Subsidiary Risk: None allocated.  
 Poisons Schedule: None allocated.  
 Hazchem Code: 2YE  
 Use: Stockmarker  
 Packaging Group: None allocated.

**Physical Description/Properties**

Appearance: Coloured spray.  
 Boiling Point: No specific data. Liquid at normal temperature.  
 Can pressure, kPa: 300-600  
 Vapour Density, (Air = 1): >1  
 Flashpoint, °C: < 0 (Hydrocarbon propellant)  
 Solubility in water: Insoluble

**Hazardous Ingredients**

|                              | CAS Number | Proportion, % | WES TWA, mg/m3    | WES STEL, mg/m3 |
|------------------------------|------------|---------------|-------------------|-----------------|
| Low Aromatic White Spirit    | 64742-82-1 | 10-30         | 525 (Supplier)    | Not established |
| Aromatic Hydrocarbon Solvent | 108-88-3   | 10-30         | 188               | Not established |
| Resin Plasticiser            | 84-74-2    | 1-10          | 5                 | Not established |
| Ethanol                      | 64-17-5    | <1            | 1880              | Not established |
| Butane                       | 106-97-8   | 1-10          | 1900              | Not established |
| Propane                      | 74-98-6    | 10-30         | Simple Asphyxiant | Not established |

**Health Hazard Information**

**Health Effects** No specific data is available for chronic exposure symptoms. The ingredients are not listed as carcinogenic in Worksafe's document *Exposure Standards for Atmospheric contaminants in the Occupational Environment* (NZ), nor in NOHSC's *List of Designated Hazardous Substances* (Aus).



**Acute Effects**

- Swallowed:** Unlikely to occur in normal use. Toxicity is moderate. May cause nausea, abdominal discomfort as liquid expands to gas, causing belching. May cause significant localised cooling in mouth, throat and stomach.
- Eye:** No effects in normal use. Direct contact may cause mild transient discomfort.
- Skin:** No effects in normal use. Direct contact may cause slight irritation in sensitive individuals.
- Inhaled:** No effects in normal use with adequate ventilation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

**First Aid**

- Swallowed:** Do not induce vomiting! Give 1 to 2 glasses of water to dilute. If vomiting occurs, keep victim's head below hips to prevent aspiration into the lungs. Get prompt medical attention.
- Eye:** Flush eye with water for 15 minutes. Seek medical advice immediately.
- Skin:** Wash with warm water and soap. Seek medical advice if irritation occurs.
- Inhaled:** Remove to fresh air, administer artificial respiration if needed. Seek medical attention.
- First Aid Facilities:** No special requirement.
- Advice to Doctor:** Treat symptomatically. Aspiration hazard. May cause chemical pneumonitis.

**Precautions for Use**

- Exposure Standards:** The WES TWA is the average airborne concentration when calculated over a normal 8 hour working day for a 5 day working week. Values are from Worksafe NZ *Exposure Standards*. Refer ingredients section.
- Engineering Controls:** For normal use, general room ventilation is adequate. In confined spaces or high use areas, maintain adequate ventilation by suitable extraction or wear a respirator.

**Personal Protection**

- Respiratory:** No special requirements under normal use. If WES TWA is exceeded, wear an organic vapour respirator.
- Skin:** No special requirements under normal use. Avoid direct contact with skin.
- Eyes:** No special requirements under normal use. Avoid direct contact with eyes.

**Safe Handling Information**

- Flammability:** Highly flammable. Do not use near naked flame or sources of ignition. May form explosive mixtures with air in confined spaces. Vapour is heavier than air and may collect in hollows.
- Storage and Transport:** This product is classed as UN1950, Dangerous Goods Class 2.1 Flammable Gases. Proper shipping name is AEROSOLS.
- Class 2.1 should not be loaded on the same vehicle as Classes 1, 3 (where both are in bulk), 4, 5, and 7. They may be loaded with Classes 3, 6, 8, 9, Foodstuffs and foodstuff empties. Keep from extreme heat and open flames. Ensure material does not come in contact with "Materials to avoid" below.

**IN CASE OF EMERGENCY PHONE**

**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**

Ver: 0610



|                                |  |
|--------------------------------|--|
| <b>Spills and Disposal:</b>    | For a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area. Call the Fire Brigade. Wear overalls, goggles and gloves. Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage. Recycle containers wherever possible. After spills, wash area preventing runoff from entering drains. If material enters drains, advise emergency services. Dispose of only in accord with all regulations. |
| <b>Fire/Explosion Hazard:</b>  | This product is classified as a C1 combustible product. Containers may rupture or explode in heat of fire. Firefighters should take appropriate precautions.   |
| <b>Flashpoint, °C:</b>         | < 0 (Hydrocarbon propellant)   |
| <b>Flammability Limits:</b>    | Upper Value: 9.5%, Lower Value: 1.2%   |
| <b>Extinguishing Media:</b>    | Foam, carbon dioxide, dry chemical or water fog. Do not use Water Jet. Water fog is preferred medium.  |
| <b>Firefighting Procedure:</b> | Fight fire from maximum distance or protected area. Keep containers cool with water spray. Use water spray to disperse vapour. Protect personnel against bursting containers. Breathing apparatus is recommended for firefighters. Ensure that no spillage enters drains or water courses.   |
| <b>Unusual Hazards:</b>        | Fire decomposition products from this product may form toxic mixtures in confined spaces. Vapours are heavier than air and may accumulate in low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.  |
| <b>Stability:</b>              | Will not spontaneously decompose.  |
| <b>Polymerisation:</b>         | Will not spontaneously polymerise.   |
| <b>Decomposition Products:</b> | Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.   |
| <b>Materials to Avoid:</b>     | Strong oxidising agents.   |

#### Other Information

Prepared in accordance with the *National Code of Practice for the Preparation of Material Safety Data Sheets* [NOHSC:2011 (2003)].

**LD50 (Acute Oral Toxicity):** Estimated to be greater than 5 g/kg.  
**Ecotoxicity:** Not established.

#### Contact Information

|   |             |   |
|---|-------------|---|
| <b>New Zealand Police and Fire Brigade</b>    | <b>Dial</b> | <b>111</b>                                      |
| <b>New Zealand Poisons Information Centre</b> | <b>Dial</b> | <b>0800 764 766 (0800 POISON)</b>               |
| <b>Australian Police and Fire Brigade:</b>    | <b>Dial</b> | <b>000 If ineffective: Dial 1100 (Exchange)</b> |
| <b>Australia - For emergency response:</b>    | <b>Dial</b> | <b>1800 243 500</b>                             |
| <b>Australian Poisons Information Centre:</b> | <b>Dial</b> | <b>13 1126 (from anywhere in Australia).</b>    |

The information contained herein is given in good faith. No warranty, expressed or implied is made. Any use of this information must be determined by the user to be in accordance with applicable Government laws and regulations. The information contained in this form is confidential and is submitted for your organizations internal use.

#### IN CASE OF EMERGENCY PHONE

**National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)**

Ver: 0610